


1. (Amended) A branched polyacetal resin composition, comprising:

100 parts by weight of a branched polyacetal copolymer (A) having an oxymethylene group as the main repeating unit and having a branching unit represented by the following formula (I), and  
0.5 to 40 parts by weight of at least one polymer (B) selected from the group consisting of the following polymers (B-1) and (B-2),

polymer (B-1): a graft or block copolymer prepared from an olefin polymer 9b-1) and at least one vinyl polymer (b-2); and

polymer (B-2): a modified olefin polymer in which an olefin polymer (b-3) is modified with at least one compound selected from the group consisting of an unsaturated carboxylic acid, an unsaturated carboxylic acid anhydride and derivatives thereof, and/or

0.1 to 5 parts by weight of a lubricant (C),



wherein m and n each is an integer of 0 to 5; the sum of m + n is 1 to 5;  
and R is a monovalent organic group having a number average molecular weight of 40 to 1000.

7. (Twice Amended) The composition according to claim 1, wherein the polymer (B-1) is prepared from at least one olefin polymer (b-1) selected from the group consisting of polyethylene, polypropylene and an ethylene-propylene copolymer, and at least one vinyl polymer (b-2) selected from the group consisting of methyl polymethacrylate, an acrylonitrile-styrene copolymer and polystyrene.

9. (Twice Amended) The composition according to claim 1, wherein the polymer

(B-2) is a modified olefin polymer where at least one olefin polymer (b-3) selected from